



PEZZI DI RICAMBIO
SPARE PARTS

ITALIAN FOG SYSTEMS
QUALITY EXPERIENCE

www.italfog.com

SOLENOID VALVES
ELETTROVALVOLE

IP65 • IP-65 (norme EN60529) con connettore DIN-43650 correttamente montato
• IP-65 (standard EN60529) when properly conncted with DIN-43650 plug.


If309006
C4 Solenoid valve Plug
Connettore per bobina
elettrovalvola tipo C4
Solenoid coil plug
C4 version



■ (60/80/100 bar)

Q.ty - Q.tà: 1

If309015
60 bar/870 psi NO
Elettrovalvola NA
NO solenoid valve



in F1/4" out F1/4"
60 bar - 870 psi
230V 50/60Hz

Q.ty - Q.tà: 1


If309007
80 bar/1160 psi NC
Elettrovalvola NC
NC solenoid valve



in F1/4" out F1/4"
80 bar - 1160 psi
230V 50/60Hz

Q.ty - Q.tà: 1


If309005
100 bar/1500 psi NC
Elettrovalvola NC
NC solenoid valve



in F3/8" out F3/8"
100 bar - 1500 psi
230V 50/60Hz

Q.ty - Q.tà: 1

If309023
60 bar/870 psi NO
Elettrovalvola NA
NO solenoid valve



in F1/4" out F1/4"
60 bar - 870 psi
24V AC

Q.ty - Q.tà: 1


If309022
80 bar/1160 psi NC
Elettrovalvola NC
NC solenoid valve



in F1/4" out F1/4"
80 bar - 1160 psi
24V AC

Q.ty - Q.tà: 1

If309021
100 bar/1500 psi NC
Elettrovalvola NC
NC solenoid valve



in F3/8" out F3/8"
100 bar - 1500 psi
24V AC

Q.ty - Q.tà: 1

If309024
60 bar/870 psi NO
Elettrovalvola NA
NO solenoid valve



in F1/4" out F1/4"
60 bar - 870 psi
110V 60Hz

Q.ty - Q.tà: 1


If309025
80 bar/1160 psi NC
Elettrovalvola NC
NC solenoid valve



in F1/4" out F1/4"
80 bar - 1160 psi
110V 60Hz

Q.ty - Q.tà: 1

If309026
100 bar/1500 psi NC
Elettrovalvola NC
NC solenoid valve



in F3/8" out F3/8"
100 bar - 1500 psi
110V 60Hz

Q.ty - Q.tà: 1

If309028
60 bar/870 psi NO
Elettrovalvola NA
NO solenoid valve



in F1/4" out F1/4"
60 bar - 870 psi
400V 50Hz

Q.ty - Q.tà: 1


If309029
80 bar/1160 psi NC
Elettrovalvola NC
NC solenoid valve



in F1/4" out F1/4"
80 bar - 1160 psi
400V 50Hz

Q.ty - Q.tà: 1

If309030
100 bar/1500 psi NC
Elettrovalvola NC
NC solenoid valve



in F3/8" out F3/8"
100 bar - 1500 psi
400V 50Hz

Q.ty - Q.tà: 1

If309070
80 bar/1160 psi NC
Elettrovalvola NC
NC solenoid valve



in F1/4" out F1/4"
80 bar - 1160 psi
24V DC
S.Steel/INOX

Q.ty - Q.tà: 1

If309071
9 bar/130 psi NC
Elettrovalvola NC
NC solenoid valve



in F1/4" out F1/4"
9 bar - 130 psi
24V DC
S.Steel/INOX


Q.ty - Q.tà: 1


SOLENOID VALVES
ELETTOVALVOLE

IP65 • IP-65 (norme EN60529) con connettore DIN-43650 correttamente montato
• IP-65 (standard EN60529) when properly conncted with DIN-43650 plug.

If309002
C1 Solenoid valve Plug

Connettore per bobina elettrovalvola tipo C1
Solenoid coil plug C1 version
■ (16/18 bar)
Q.ty - Q.tà: 1

If309001
18 bar/260 psi NC
Elettrovalvola NC
NC solenoid valve

in F3/8" out F3/8"
18 bar - 260 psi
230V 50/60Hz
Q.ty - Q.tà: 1

If309027
18 bar/260 psi NC
Elettrovalvola NC
NC solenoid valve

in F3/8" out F3/8"
18 bar - 260 psi
110V 60Hz
Q.ty - Q.tà: 1

If309023
16 bar/230 psi NC
Elettrovalvola NC
NC solenoid valve

in F3/4" out F3/4"
16 bar - 230 psi
230V 50/60Hz
Pro 3 NT-Fog 27/35/43
Q.ty - Q.tà: 1

If309022
18 bar/260 psi NC
Elettrovalvola NC
NC solenoid valve

in F1/2" out F1/2"
18 bar - 260 psi
230V 50/60Hz
Pro 3 NT-Fog 15/18/21
Q.ty - Q.tà: 1

If309031
10 bar/145 psi NC / Economy
Elettrovalvola NC
NC solenoid valve

in F3/8" out F3/8"
10 bar - 145 psi
230V 50/60Hz
Breezy (optional)
Q.ty - Q.tà: 1

ACCESSORIES and SPARE PARTS
ACCESSORI e RICAMBI

3303511003
Contactore 24V
Contattore
Contactore

24V 50-60Hz
400V 12A 5.7kW
Pro 2 pumps
Q.ty - Q.tà: 1

101452
Transformer 24V
Trasformatore
Transformer


in 0-200-230-400V
out 0-24V
20VA
Pro 2 pumps
Q.ty - Q.tà: 1

6320503003
Transformer 230V
Trasformatore
Transformer

in 0-400V
out 0-230V
50VA
Pro3 NT-FOG pumps
Q.ty - Q.tà: 1

If981010
Pressure transducer
Trasduttore di pressione
Pressure transducer

1/4" M
0-100 bar
4-20 mA
1.5m cable
Q.ty - Q.tà: 1

If100032
Temperature probe
Sonda temperatura PT100
PT100 temperature probe

3 wires
range: -50 +200 °C
Q.ty - Q.tà: 1

If100033
Humidity probe
Sonda di umidità UR 4-20mA
Humidity probe RH%

2 wires
range: 0-95% RH
signal: 4-20mA
Q.ty - Q.tà: 1

ACCESSORIES and SPARE PARTS

ACCESSORI e RICAMBI

If309003

Pressure switch
Pressostato inverso con reset
Pressure switch
230V 50Hz G3/8"F



Q.ty - Q.tà: 1

If309010

Cyclic timer
Timer ciclico digitale
Digital cyclic timer
ON/OFF
230-115V 50-60Hz



Q.ty - Q.tà: 1

If100007

VAR programmer
Programmatore inverter VAR
VAR pumps programmer



Q.ty - Q.tà: 1

If309016

Pressure switch
Pressostato
Pressure switch
1/8M BSP
40 bar 230V50Hz
Arctic / Polaris



Q.ty - Q.tà: 1

If309015

Pressure switch
Pressostato
Pressure switch
1/4M BSP
40 bar 230V50Hz
NT-Fog



Q.ty - Q.tà: 1

If309018

Pressure switch
Pressostato
Pressure switch
3/8M BSP
40 bar 230V50Hz
NT-Fog VAR



Q.ty - Q.tà: 1

If309033

Socket 5P
Connettore Femmina 5 poli x sonda
Female socket 5 poles for probes



Q.ty - Q.tà: 1

If309032

Plug 5P
Connettore Maschio 5 poli x sonda
Male socket 5 poles for probes



Q.ty - Q.tà: 1

5222501003

Cooling fan
Ventola inverter
VFD fan
220-240V
120*120*38
Evolution Time VAR



Q.ty - Q.tà: 1

If309035

Socket 4P
Connettore Femmina 4 poli x remoto
Female socket 4 poles for remote



Q.ty - Q.tà: 1

If309034

Plug 4P
Connettore Maschio 4 poli x remoto
Male socket 4 poles for remote



Q.ty - Q.tà: 1

If980013

Liberty MobiCool VFD
Inverter mod. Mobicool
Mobicool VFD
550 W
input: 110-230V 1PH
50/60Hz
MobiCool



Q.ty - Q.tà: 1

If980011

NT-Fog VAR 3.0 kW VFD
Inverter 3 kW 400V trifase
NT-Fog 3 kW VFD
3.0 kW
input: 400V 3PH
50/60Hz
Pro 3NT-Fog VAR



Q.ty - Q.tà: 1

If980010

Evo VAR 1.5 kW VFD
Inverter 1.5 kW 230V monofase
Evo-VAR 1.5 kW VFD
1.5 kW
input: 230V 1PH
50/60Hz
Pro Time VAR



Q.ty - Q.tà: 1

If980012


I-Cooler LSP VFD
Inverter mod. I-Cooler/LSP
I-Cooler/LSP VFD
550 W
input: 110-230V 1PH
50/60Hz
I-Cooler / LSP




Q.ty - Q.tà: 1

ACCESSORIES and SPARE PARTS


ACCESSORI e RICAMBI


If309020
ETH-Modbus RS-485 Gateway
 Convertitore Seriale/ETH
 RTU to ETH/TCP

 senza alimentatore
 w/o power supply
 12-48 V DC
 Q.ty - Q.tà: 1


If309060
Modbus expansion board
 Interfaccia seriale Modbus
 Serial Modbus
 expansion board

 EC100021 /HT / VAR
 control boards
 Q.ty - Q.tà: 1

If309052
Breezy c.b.
 Controller pompa Breezy
 Breezy controller board

 Standard versions
 Q.ty - Q.tà: 1

If309045
TIME-2A c.b.
 Controller TIME-2
 TIME-2 controller board

 NT-Fog
 Q.ty - Q.tà: 1

If309050
TIME-2B c.b.
 Controller TIME-2
 TIME-2 controller board

 NT-Fog TIME
 Q.ty - Q.tà: 1

If309051
TIME-2C c.b.
 Controller TIME-2
 TIME-2 controller board

 NT-Fog VAR
 Q.ty - Q.tà: 1

If309049
I-Cooler c.b.
 Controller I-Cooler
 I-Cooler
 controller board

 Q.ty - Q.tà: 1

If309041
Arctic HT c.b.
 Controller pompa Arctic
 Arctic controller board


 HT versions
 Q.ty - Q.tà: 1

If309040
Arctic c.b.
 Controller pompa Arctic
 Arctic controller board

 Standard versions
 Q.ty - Q.tà: 1

If309053
Polaris LSP c.b.
 Controller pompa Polaris LSP
 Polaris LSP
 controller board

 LSP versions
 Q.ty - Q.tà: 1

If309042
Polaris c.b.
 Controller pompa Polaris
 Polaris controller board

 Standard versions
 Q.ty - Q.tà: 1

If309043
Polaris HT c.b.
 Controller pompa Polaris
 Polaris controller board

 HT versions
 Q.ty - Q.tà: 1

If309044
Tc100001 c.b.
 Controller x IF100001
 IF100001
 controller board

 Q.ty - Q.tà: 1

If309047
MosKITo c.b.
 Controller pompa MosKITo
 MosKITo
 controller board

 Standard versions
 Q.ty - Q.tà: 1

If309046
Ec100021 c.b.
 Controller x IF100021
 IF100021
 controller board

 Q.ty - Q.tà: 1

ACCESSORIES and SPARE PARTS

ACCESSORI e RICAMBI

5311051001

HS FOG Valves
Kit valvole a/m HS
Head valves HS




Polaris - Arctic - Breezy
Premium - Evolution
Icooler - Mobicool

Q.ty - Q.tà: 2x6

5311011001

HS Seals
Kit guarnizioni pompe HS
Seals KIT for HS pumps




Polaris - Arctic
Premium - Pro Evolution

Q.ty - Q.tà: 4x3

5311052001

HS-KEM Seals
Kit guarnizioni HS-KEM
Seals KIT for HS-KEM pumps



«VITON»
Pro Evolution KEM

Q.ty - Q.tà: 4x3

260012

Professional HW - NHD Valves
Valvole tipo NHD
Valves NHD



Pro2
Professional
HW
2017

Q.ty - Q.tà: 1x6

260189

Professional HW - NHD Seals
Guarnizioni tipo HD 2017
Seals KIT for HD pumps 2017



Q.ty - Q.tà: 6x3

5311053001

HS-KEM Valves
Kit valvole a/m HS KEM
Head valves HS KEM



«VITON»
Evolution KEM

Q.ty - Q.tà: 1

260008

NMT Valve
Valvola tipo NMT
Valve NMT




Pro 3 NT-Fog 15/18/21

Q.ty - Q.tà: 1

260077

NMT Seals
Guarnizioni tipo NMT
NT-Fog 15/18/21 Seals KIT for NMT pumps



Q.ty - Q.tà: 7x3

260125

XLT2530 Seals
Guarnizioni tipo XLT
Seals KT for XLT pumps



Q.ty - Q.tà: 1

260010

XLTI 35/43 Valve
Valvola tipo XLT3517IR - XLT4317IR
Valve for XLT3517IR XLT4317IR



Q.ty - Q.tà: 1

260113

XLTI 35/43 SEALS
Guarnizioni XLT3517IR - XLT4317IR
Seals for XLT3517IR XLT4317IR pumps



Q.ty - Q.tà: 6x3

260131

XLT2530 Valve
Valvola tipo XLT2530IR
Valve for XLT2530IR



Q.ty - Q.tà: 1

5311027001

FL Seals
Kit guarnizioni pompe FL
Seals KIT for FL pumps



MobiCool
2009
I-Cooler

Q.ty - Q.tà: 3x4

5311088001

BZ Seals
Kit guarnizioni pompe BZ
Seals KIT for BZ pumps



MobiCool
2016
Breezy

Q.ty - Q.tà: 3x5

ITALFOG

ACCESSORIES and SPARE PARTS

ACCESSORI e RICAMBI

260028
Professional HW - HD Valves
 Valvole tipo HD
 Valves HD

 Professional HW
 2012~2017
 Q.ty - Q.tà: 1x6

260044
Professional HW - HD Seals
 Guarnizioni tipo HD 2012~2017
 Seals KIT for HD pumps 2012~2017


 Q.ty - Q.tà: 7x3

If400053
Nipple 3/8"
 Niplo 3/8" INOX
 Nipple 3/8" - S.Steel

 Q.ty - Q.tà: 1

If400047
S.Steel Nipple
 Niplo Inox
 S.Steel nipple

 1/4" MM
 Q.ty - Q.tà: 1

If400048
S.Steel Reducer
 Riduzione Inox
 S.Steel reducer

 M3/8" M1/2"
 Q.ty - Q.tà: 1

If400049
S.Steel Reducer
 Riduzione Inox
 S.Steel reducer

 M1/4" M3/8"
 Q.ty - Q.tà: 1

If400050
S-Steel Hex Reducing Bushing
 Prolunga esagonale INOX
 S.Steel Hex
 Reducing Bushing


 1/2" MF
 Q.ty - Q.tà: 1

If400051
S-Steel Hex Reducing Bushing
 Prolunga esagonale INOX
 S.Steel Hex
 Reducing Bushing

 3/8" MF
 Q.ty - Q.tà: 1

If400052
S-Steel Hex Reducing Bushing
 Prolunga esagonale INOX
 S.Steel Hex
 Reducing Bushing

 M1/2" F3/8"
 Q.ty - Q.tà: 1


If400033
HP hose F1/2" F1/2"
 Tubo flessibile
 1/2" A.P. 1 m
 INOX
 High pressure
 flexible hose
 1/2" 1 m - S.Steel

 Q.ty - Q.tà: 1

If400043
Nipple 1/2"
 Niplo 1/2" INOX
 Nipple 1/2" - S.Steel

 Q.ty - Q.tà: 1

If400044
'T' fitting FFF 1/2"
 Raccordo a T ottone
 T fitting - brass
 BSP

 Q.ty - Q.tà: 1

If400032
HP hose F3/8" F3/8"
 Tubo flessibile
 5/16" A.P. 1 m
 INOX
 High pressure
 flexible hose
 5/16" 1 m - S.Steel

 Q.ty - Q.tà: 1

If400041
Elbow M3/8" F3/8"
 Raccordo curvo ottone
 Elbow fitting - brass
 BSP

 Q.ty - Q.tà: 1

If400042
'T' fitting M 3/8" F 3/8" F 3/8"
 Raccordo a T ottone
 T fitting - brass
 BSP

 Q.ty - Q.tà: 1

ACCESSORIES and SPARE PARTS

ACCESSORI e RICAMBI

EC309020

Check Valve F1/4" F 1/4"

Valvola di non ritorno
1/4" FF - Inox
S.Steel check valve
F1/4" F1/4"
400 bar - 5800 psi



Q.ty - Q.tà: 1

TC400045

Nipple M22x1.5

Niplo M22x1.5 M1/4" G
Nipple M22x1.5 M1/4" G
dia.14



Q.ty - Q.tà: 1

If400046

Quick Coupling F22x1.5

Attacco girevole
F22x1.5 G1/4" F
Quick Coupling
F22x1.5 G1/4F



Q.ty - Q.tà: 1

If400030

HP hose F22x1.5 F1/4"

Tubo flessibile
1/4" A.P. 8 m
Ottone
High pressure
flexible hose
1/4" 8 m - Brass



Q.ty - Q.tà: 1

If400031

HP hose F1/4" F1/4"

Tubo flessibile
3/16" A.P. 2.5 m
Ottone
High pressure
flexible hose
3/16" 2.5 m - Brass



Q.ty - Q.tà: 1

If400011

Ball Valve G 1/4" FF

Valvola a sfera
di intercettazione
G 1/4" FF - 80 bar - Ottone
G 1/4" FF on/off ball valve
80 bar - 1150 psi - Brass



Q.ty - Q.tà: 1

If982010

**VS 160
140 BAR**

IN G1/4" M
ByPass G1/8 F+Ptm.13mm
140 bar - 14 MPa - 2000 psi
14 l/min - 3.7 USGpm
90 °C - 195 °F
V. Sicurezza - Safety valve



Q.ty - Q.tà: 1

If982011

**VB85R/180
160 BAR**

IN G1/2" F - OUT G1/2" F
160 bar - 16 MPa - 2300 psi
80 l/min - 21 USGpm
90 °C - 195 °F
V.regolazione - P.regulator
NT-Fog 27/35/43 lpm



Q.ty - Q.tà: 1

If982012

**Pulsar RV
160 BAR**

IN G3/8" F - OUT G3/8" F
160 bar - 16 MPa - 2300 psi
40 l/min - 10 USGpm
90 °C - 195 °F
V.regolazione - P.regulator
NT-Fog 15/18/21 lpm



Q.ty - Q.tà: 1

1913002001

**Pressure gauge
Manometro 0-300 bar
Pressure gauge 0-300 bar**



1/8"
Premium Time
Premium Plus

Q.ty - Q.tà: 1

1913081001

**Pressure gauge
Manometro 0-250 bar
Pressure gauge 0-250 bar**



1/4"
Premium / Evolution
Arctic / Polaris
Professional / NT-Fog

Q.ty - Q.tà: 1

102447

**Pressure gauge hose
Tubo manometro
Pressure gauge hose**



1/4" F 1/8" M
540mm

Q.ty - Q.tà: 1

If309014

**24V float switch KIT
KIT per alimentazione serbatoio
Extended water tank feeding KIT**




24V

Q.ty - Q.tà: 1

If508014

**Float valve
Galleggiante ottone M1/2"
Float brass valve M1/2"**



Q.ty - Q.tà: 1

ITALFOG



Via Maiella, 12, 42123 - REGGIO EMILIA (RE)
Via Merulana, 259, 00185 - ROMA

T. +39-0522334284
+39-064880601

www.italfog.com

Raffrescamento
Ambienti

Ventilazione Fredda

Pre-raffrescamento

Umidificazione

Abbattimento
Polveri e Odori

Effetti scenografici

